

## ARTIFACT SHEET

Enter artifact number below. Artifact number is application number + artifact type code (see list below) + sequential letter (A, B, C . . ). The first artifact folder for an artifact type receives the letter A, the second B, etc..  
Examples: 59123456PA, 59123456PB, 59123456ZA, 59123456ZB

09801799 BA  
Indicate quantity of a single type of artifact received but not scanned. Create individual artifact folder/box and artifact number for each Artifact Type.

☐

CD(s) containing:

computer program listing

Doc Code: Computer

pages of specification

and/or sequence listing

and/or table

Doc Code: Artifact

content unspecified or combined

Doc Code: Artifact

☐

Artifact Type Code: P

☐

Artifact Type Code: S

☐

Artifact Type Code: U

☐

Stapled Set(s) Color Documents or B/W Photographs

Doc Code: Artifact    Artifact Type Code: C

☐

Microfilm(s)

Doc Code: Artifact    Artifact Type Code: F

☐

Video tape(s)

Doc Code: Artifact    Artifact Type Code: V

☐

Model(s)

Doc Code: Artifact    Artifact Type Code: M

☒

Bound Document(s)

Doc Code: Artifact    Artifact Type Code: B

☐

Confidential Information Disclosure Statement or Other Documents marked Proprietary, Trade Secrets, Subject to Protective Order, Material Submitted under MPEP 724.02, etc.

Doc Code: Artifact    Artifact Type Code X

☐

Other, description: \_\_\_\_\_

Doc Code: Artifact    Artifact Type Code: Z

The  
United  
States  
of  
America



**The Director of the United States  
Patent and Trademark Office**

*Has received an application for a patent for a new and useful invention. The title and description of the invention are enclosed. The requirements of law have been complied with, and it has been determined that a patent on the invention shall be granted under the law.*

*Therefore, this*

**United States Patent**

*Grants to the person(s) having title to this patent the right to exclude others from making, using, offering for sale, or selling the invention throughout the United States of America or importing the invention into the United States of America for the term set forth below, subject to the payment of maintenance fees as provided by law.*

*If this application was filed prior to June 8, 1995, the term of this patent is the longer of seventeen years from the date of grant of this patent or twenty years from the earliest effective U.S. filing date of the application, subject to any statutory extension.*

*If this application was filed on or after June 8, 1995, the term of this patent is twenty years from the U.S. filing date, subject to any statutory extension. If the application contains a specific reference to an earlier filed application or applications under 35 U.S.C. 120, 121 or 365(c), the term of the patent is twenty years from the date on which the earliest application was filed, subject to any statutory extensions.*

*Director of the United States Patent and Trademark Office*



US006062641A

**United States Patent** [19]

Suzuki et al.

[11] **Patent Number:** 6,062,641[45] **Date of Patent:** May 16, 2000[54] **SEAT APPARATUS WITH AIR FLOW**

[75] **Inventors:** Seiji Suzuki; Hidetoshi Nakane;  
Masato Itakura; Toshihiro Inayoshi,  
all of Toyota, Japan

[73] **Assignee:** Aisin Seiki Kabushiki Kaisha, Kariya,  
Japan

[21] **Appl. No.:** 09/188,152[22] **Filed:** Nov. 10, 1998[30] **Foreign Application Priority Data**

Nov. 10, 1997 [JP] Japan ..... 9-307520

[51] **Int. Cl.<sup>7</sup>** ..... A47C 7/72[52] **U.S. Cl.** ..... 297/180.1; 297/180.14[58] **Field of Search** ..... 454/120, 907;  
297/180.1, 180.14[56] **References Cited****U.S. PATENT DOCUMENTS**

2,782,834 2/1957 Vigo ..... 297/180  
2,826,244 3/1958 Hurley ..... 297/452.47  
3,550,523 12/1970 Segal ..... 297/180  
4,923,248 5/1990 Feher .

5,002,336 3/1991 Feher ..... 297/180  
5,403,065 4/1995 Callerio ..... 297/180  
5,524,439 6/1996 Gallup et al. .  
5,902,014 5/1999 Dinkel et al. .... 297/180  
5,924,766 7/1999 Esaki ..... 297/180  
5,927,817 7/1999 Ekman et al. .... 297/452.47

**FOREIGN PATENT DOCUMENTS**

191212 8/1987 Japan ..... 454/120  
3-151912 6/1991 Japan .

*Primary Examiner*—Harold Joyce*Assistant Examiner*—Derek S. Boles*Attorney, Agent, or Firm*—Burns, Doane, Swecker & Mathis, LLP[57] **ABSTRACT**

A seat apparatus includes a seat cushion, a seat back associated with the seat cushion, an air vent extending from the bottom side of the cushion towards the sitting side of the cushion, and an air producing device which blows air, preferably temperature controlled air, to the air vent and to a groove facing the sitting side of the cushion. The seat apparatus is thus able to distribute air, preferably temperature controlled air, to the seated individual.

**15 Claims, 3 Drawing Sheets**